



KNEGT QUALITY TRACTORS EUROPE

knegt-international.com





THE VERSATILE COMPACT TRACTOR THE RIGHT KNEGT

Tight spaces, small areas, and narrow roads. This is where compact tractors excel. It's all about endurance and agility while you work at full power.

See our chapters 1 - 9



The trusted diesel tractors

For every job, we have a Knegt for you. Since 2006, we have been offering powerful, versatile, and reliable tractors that meet the diverse needs of various sectors.

Powerful performance: Diesel tractors deliver impressive power, ideal for heavy loads and intensive tasks, whether you work in horticulture, sports, or urban environments.

Versatility: Thanks to their compact size, agility, and tight turning radius, these tractors are perfect for confined spaces. With a wide range of attachments, they can be used for a variety of tasks.

Reliability: Our diesel tractors are built for consistent, long-term use, ensuring maximum productivity and minimal downtime.

Easy maintenance: With simple maintenance, you save time and costs, ensuring your Knegt tractor is always ready for the next job.



KNEGT 30 HP DIESEL TRACTOR

Drive 4WD Dimensions LxWxH 329x149x155 cm** Rear axle width 120 cm Front axle width 120 cm Wheelbase 171 cm Rear ground clearance 29 cm ** Front ground clearance 29 cm ** Empty weight 2130 kg Turning radius 250-320** Forward speed 1/25 km max** Reverse speed 1/25 km max** Engine type ZN390T Cilinders 3 Kw / HP 22.1 / 30 Consumption 220g / Kw / h RPM 2350 RPM Bore x Stroke 90 x 95) Cylinder capacity 1.812 cm3 Transmission Tapered Differential Straight gear Clutch Dual Gears 4 + 4 x 2 Front wheels 6.0-12 Rear wheels 11.2-20 Brakes Disc brakes 3-Point lifting capacity 432 kg at 61 cm behind the ball hitch* 3-Point category 1 PTO rpm tpm 540 / 1000

304 G2



*Banden zijn een voorbeeld. Standaard geleverd met tractorbanden! **Afhankelijk van de bandenkeuze



KNEGT 40 HP DIESEL TRACTOR

Drive 4WD Dimensions LxWxH 346 x 149 x 159** Rear axle width 130 cm Front axle width 130 cm Wheelbase 182 cm Rear ground clearance 37 cm ** Front ground clearance 40 cm ** Empty weight 2400 kg Turning radius 320-380 cm** Forward speed 1/25 km max**

Reverse speed 1/25 km max** Forward speed ZN490T Cylinders 4 Kw / HP 29 / 40 Consumption 275g / Kw / h RPM 2400 RPM Bore x Stroke 90 x 100 mm Cylinder capacity 2.543 cm3 Transmission Tapered Differential Straight gear Clutch Dual Gears 4 + 4 x 2 Front wheels 7.5 -16 Rear wheels 12.4 -24 Breaks Schijfremmen 3-Point lifting capacity 665 kg at 61 cm behind the ball hitch 3-Point category 1 PTO rpm 540 / 1000



*The tires shown are an example. Standard delivery includes tractor tires! **Dimensions may vary depending on tire choice.





KNEGT 50 HP DIESEL TRACTOR

Drive 4WD Dimensions LxWxH 379 x 162 x 168 cm** Rear axle width 140 cm Front axle width130 cm Wheelbase 198 cm Rear ground clearance 37 cm ** Front ground clearance 40 cm ** Empty weight 2400 kg Turning radius 420 cm**

Forward speed 1/25 km max** Reverse speed 1/25 km max** Engine drive Engine type 4G33T Cylinders 4 Kw / HP 29 / 40 Consumption 275g / Kw / h RPM 2400 RPM Bore x Stroke 90 x 100 mm Cylinder capacity 3.260 cm3 Transmission Conisch Differentieel

Straight gear Clutch Dual Gears $4 + 4 \times 2$ Front wheels 7.5-16 Rear wheels 12.4 - 24 Breaks Disc brakes 3-Point lifting capacity 665 kg at 61 cm behind the ball hitch 3-Point category 1 PTO rpm 540 / 1000





KNEGT Tyres

All Knegt tractors come equipped with standard tractor tires. However, you can also choose from four different tire options.

Radial Agri	Wide tractor tire
Mighty Mow	Wide lawn tire
Garden Pro Hybrid Turf/Agric	Coarse lawn/agricultural tire



Radial





Mighty Mow

Garden Pro

KNEGT FRONT LOADER

In addition to all the standard options, the diesel tractors can also be equipped with a front loader from Stoll. Stoll has a solid reputation as one of the world's best front loader manufacturers. Equipped with parallel guidance, quick-change system, and a control panel with a 3rd function* (*optional), the Stoll front loaders are a true pleasure to work with. Thanks to specific cylinder technology, the front loader responds very quickly. The loader bucket is supplied with the front loader. A wide range of accessories is available for these front loaders, such as a bale clamp, manure grab, or pallet forks.

The Knegt **304G2** can load up to 500 kg with the Stoll front loader, the Knegt **404G2** can handle 600 kg, and the Knegt **504G3** can lift 800 kg without a counterweight.





KNEGT CABIN

The completely new cabin of the Knegt Compact series is equipped with windows that can be opened on all four sides, heating, LED work lights, and windshield wipers.

THE REAL PROPERTY

2

de la








KNEGT Coupler

Whatever you want to tow behind the tractor, with Scharmüller's fixed or height-adjustable couplers, anything is possible.









KNEGT FRONT LIFT

EWPH

9

ETIE mal

For front lift applications, we partner with Zuidberg. Zuidberg is a pioneer and market leader in front lift applications, providing the highest quality equipment for our premium electric tractors. Additionally, a front PTO and front hydraulic system are available. The Zuidberg front lift system can lift up to 300 kg and features folding arms with hook connections.





KNEGT SERVICE/ MAINTENANCE

Customer service is important to us. That's why we provide excellent service and maintenance for our products. Our diesel tractors are easy to maintain and designed for low operating costs. The combustion engines in our diesel models are powerful and efficient, and with proper maintenance, they continue to perform optimally.

At Knegt, we understand the importance of accessible maintenance. We ensure that all our diesel tractors are easy to maintain and come with clear maintenance instructions. If you have any questions about your tractor, we are ready to assist you as quickly as possible. You can choose to perform maintenance yourself or have it done by one of our qualified dealers. Knegt parts are readily available and easy to obtain.

With Knegt, you can rely on outstanding customer service and support, keeping your diesel tractor in top condition



Headquarters Knegt International: Habraken 1207, 5507 TB Veldhoven, The Netherlands +31 (0) 40 2558416 info@knegt-international.com

